
Research Article

Easy Method to Stop Global Warming and Method to Live Long

Showchiro Ozaki^{1*}

^{*1} Department of Resource Chemistry, Ehime University, Matsuyama, Emeritus Professor, Japan

***Corresponding author:** Showchiro Ozaki, Department of Resource Chemistry, Ehime University, Matsuyama, Emeritus Professor, Japan

Abstract

Stop the elimination of NO_x is an easy method to stop global warming. Elimination of NO_x at developed countries induced global warming. Elimination of NO_x reduced the CO₂ assimilation and decreased fish production and Average life of Japanese is longest in the world. Reason of long life is Japanese etc fish. Fish containing glucosamine, chondroitin, hyaluronic acid is good for anti-aging. If we stop NO_x elimination with ammonia, and if we stop the N, P elimination of drainage, plankton growth is activated and Fish production will increase. Heat absorption by CO₂ assimilation increase and global warming will stop and people can enjoy long life.

Key words: Global warming anti-aging, anti-aging food, glucosamine, chondroitine, hyaluronic acid, Iriko

Introduction

1. Stop the elimination of NO_x is an easy method to stop global warming. Elimination of NO_x at developed countries induced global warming. Elimination of NO_x reduced the CO₂ assimilation and decreased fish production of fish. Anti-aging is a dream of people for ten thousand years. Average life of Japanese is men 80.5(third), women 86.83 (top in the world) I wonder why Japanese live longer than other countries. I believe that Japanese food based on fish is good for long life. Following story exist for long time, never throw away umbilical cord (connecting tubes between placenta of mother and unborn baby for the supply of nutrition), naval string and keep it at poulownia chest of drawers for long time, and when you get

incurable sickness, boil it in water for long hours, then drink the solution, then heavy sickness will be cured. I wish to explain the reason why umbilical cord (main component is hyaluronic acid) is so effective. Hyaluronic acid chondroitin, glucosamine are now sold from several companies as health food and several million persons are drinking and enjoying health and long life. Author find the reason why these compounds are effective (ref 1-10)

2. Fish contain glucosamine, hyaluronic acid and chondroitin. Glucosamine, hyaluronic acid are now used as health food by many persons in Japan. About 7 million people are drinking and eating these materials and enjoying health and long life. Author studied how glucosamine, hyaluronic acid chondroitin contribute for the hearth and anti-aging (ref 1-10)
3. Discovery of Klotho (Anti-aging gene), and Anti-aging reagent) Prof.Nabeshima Yoichi (graduate from Niigata University and Prof at cell engineering center at Osaka University and then Prof at Kyoto University and now head of top medical center.) found Klotho (anti-aging gene) from rat. (ref 11) The rat having this gene live 30 % longer . Klotho keeps homeostasis of Calcium and keeps health. (ref 11-13) Prof Nabeshima also found disaccharide which can bind Klotho and FGF27. The molecular weight of disaccharide is 843.28 corresponding C₃₀H₁₀N₇O₁₉S. Thr-His-Gln-O-beta D-3sulfo-glucopyranoside. The author organic synthesized 5 disaccharides co-work with Klotho from structure known compounds. And found that the following compound can combine with Klotho. The author named this compound as anti-aging reagent. These reagent are combined compounds of glucuronic acid with glucosamine, glucuronic acid with galactosamine Sulfo-glucuronosyl-(1-3)glucoside Sulfoluglucuronosyl-(1-3)galactoside.
Klotho make disaccharide from glucosamine,hyaluronicacid,condroitin on site covering with Klotho and contributing for health and anti-aging.(ref 11-13)
4. Relation of glucosamine,hyaluronic acid,condroitin,anti-aging reagent,Klotho,health,and anti-aging
5. Klotho has beta glucosidase activity. (ref 11) beta- glucosides have activity to cleave and bind glucuronosy bond. Therefore, Klotho can make disaccharide from hyaluronic acid and chondroitin. Hyaluronic acid is poly(glucuronyl(1-3) N-acetyl glucoside and chondroitin is poly(glucosyl(1-3)N-acetyl galactoside.
6. Sulphonated hyaluronic acid monomer is anti-aging reagent
7. Hyaluronic acid, and chondroitin are precursors of anti-aging reagent. Hyaluronic acid gives anti-aging reagent glucuronyl (1-3) N-acetyl glucosamine
8. Klotho

9. Hyaluronic acid =====> Glucuronosyl (1-3) N-acetyl glucosamine

10. Kondroitin sulphonic acid give anti-aging reagent sulphoglucrosyl(N-acetylgactasamine by Klotho

11. Klotho

12. Kondroitin sulphate —> sulpho-glucronosyl (1-3) N-acetylgalactosamine

Depolymerizatio of chitin give N-acetyl glucosaminene

Klotho

Chitin ———> N-acetyl glucosamine

Depolymerization of chitosan give glueosamine

Depolymerization of Chitosan give glueosamine

Klotho

Chitosan ———> Glucosamine

Klotho condense glucronic acid and glucosamine to afford disaccharide

Klotho

Gluehronic acid + glueosamine ———> disaccharide

Relation of gulucosamine derivative, food and anti-aging

When we look for the glucosamine derivatives from natural products

Hyaluronic acid, condroitin, chondroitin sulphate, chitin, chitosan,keratin sulphate.

Hyaluronic acid was isolated from eyeball of caw in1934 and named as hyluronic acid from Greece word glass Hyaloid.

Hyaluronic acid is contained in the eye and indirectly eating of fish, whole body oohed of fisher eye of fishes, like sardine, sea bream, house mackerel, mackerel pike,ayu gold eye sea bream,lorch,eel,flatfish,shrimp,ikanago,kibinago,okoje,mebaru,shirasu,tsumire(crashed mixture small fish) shark fin,tsukudani of small fish, cow, pig , chicken are recommended. Hyaluronic acid is found in the highest concentrations in the eyes and joints. For the supply of glucosamine glucosamine, shrimp and crab are good food.

Vegetable anti-aging food. Sticky and nebaneba and draw thread vegetable food like soybean, yamaimo, satoimo, okura, moroheiya, mozuku, konbu, wakame, mekabu and negi contain mucin. Mucin is a sugar protein which N-acetylgalactosamine combine by sugar linkage with serine or threonine.

Fish is the best food for anti-aging. Fish must be produced much with cheap price.

Then enough hyaluronic acid, chondroitin, glucosamine and Calcium are supplied, and Ca homeostasis is maintained and anti-aging, long life will be obtained

Anti-aging, anti-aging food

The author was born in 1930. April 17. 94.4-year-old Author is testing himself what is the best food to live long with high producing manuscripts (76 manuscripts (ref 1-10, 14-79 in 1985-2024) all single author).

How can I live long. I eat night food at midnight one banana, 20g Iriko (boiled and dried sardine), Hatosabure(Kamakura cooky) and Calpis. Then thinking and half sleeping and wake up and write manuscripts.


To get anti-aging

Fish must be supplied much with reasonable price by the mass production using N,P recycling

Climate must be comfortable by cooling with CO₂ assimilation

Elimination of NO_x at developed countries induced global warming.


At around 1980, 7 Developed countries decided the elimination of NO_x by ammonia.



This reaction eliminate nitrogen two times

This decision caused global warming by the decrease the nitrogen concentration of sea and land and inhibited CO₂ assimilation, decreased the absorption of CO₂, decreased the heat absorption by CO₂ assimilation. and started global warming (ref 72-78,) After 1980, DGP of Japan does not increase by. This reaction decreased plankton production, and decreased fish production. This reaction decreased plant growth. At nitrogen rich sea, CO₂ react

with water and make carbohydrate very quickly and make plankton. Nitrogen rich land plant absorb CO2 and water and make carbohydrate and cellulose quickly making tree.



Developed countries are eliminating N and P in wastewater. Developed countries are forced to burn garbage at incinerators equipped with ammonia addition.

These NOx and N, P eliminations caused the lack of N, P. CO2 assimilation decreased and CO2 absorption decreased. Food production decreased. Heat absorption by CO2 assimilation is lost. And global warming has started. Developed countries should stop NOx elimination by ammonia and close wastewater clean center. Then CO2 assimilation is activated, and global warming will stop, and much food will be produced. And people can live long at moderate temperature and can live long (ref 14-78)

News Paper Ehimeshinbun at Ehime Japan reported (ref 14). drainages purification block the production of Nori (Sea weed). Saijo district was a production district of Nori since Edo 300 years. But Nori produced at this district was brown and not black and had no commercial value. At Honjo district 10 km north of Matsuyama 90 person were producing Nori in 1978, but no one producing Nori in 1983. Forty years ago, at west side of sea shore of Matsuyama, large amount of sea weed were washed ashore, when strong wind blow, and many cucumber (Namako) were there in sea weed.

At west side, there is water purification center. Nitrogen compounds like urea were changed to nitrogen and clean water like drinking water is released to sea.

DGP of Japan stopped after 1980. United Nation say why this happened.

At 1980 Japan started NOx elimination by ammonia. Japan build 2200 water clean center to eliminate N, P. At 2006, Japan build 2000 incinerated equipped with ammonia addition.

Author calculated heat balance of earth on earth, (ref 42,74,77)

Author indicated that global warming can be stopped by increasing CO2 assimilation by stopping NOx, NP elimination, by absorption of heat.

Heat and CO₂ generation

140 billion tons of fossil fuel is burned, and CO₂ 3.6x10¹⁰ t is produced. Moreover, 7.4x10¹⁵ kcal is produced.

When we consider the heat produced by animal realization, 7.4x10¹⁵ kcal is produced. When we consider the electricity generation capacity of the world is 16,868 tera watt h. Electricity generation by atomic energy is 2,086 tera watt h. Therefore, $7.4 \times 10^{15} \times 2,986 / 10,868 = 2.02 \times 10^{15}$ kcal evolved by atomic energy. The heat evolved by animals also warms the earth. Humans eat 1,000 kcal of food daily and release 1,000 kcal of heat daily. Assuming the population of the world as 7.6 billion, humans release $1,000 \times 365 \times 76 \times 10^9 = 2.8 \times 10^{16}$ kcal in one year. Animals other than human beings, cow, birds, whales, and seals are producing heat. We can estimate the same as a human being 2.8×10^{16} kcal. Therefore, $(0.4 + 0.202 + 2.8 + 2.8) \times 10^{16} = 13.002 \times 10^{16}$ kcal. We must absorb 13.002×10^{16} kcal by CO₂ assimilation.

Heat and CO₂ absorption

We must absorb 13.002×10^{16} kcal by CO₂ assimilation. One mole of CO₂ (44g) and water (18g) absorbs 114 kcal sun's heat to carbohydrate and 32 g oxygen. If 51 billion t CO₂ assimilation occurs $114 \times 5.1 \times 10^9 / 44 = 13.16 \times 10^{16}$ kcal can be absorbed.

Heat production 13.002×10^{16} kcal is almost the same as heat absorption 13.16×10^{16} kcal

$36.0 + 12.5 = 48.5$ billion tones, CO₂ can be fixed. And we can absorb heat 13.16×10^{16} kcal. Heat absorption by CO₂ assimilation is essential. 14.4 billion tone NO_x can fix $14.4 \times 25 = 360$ billion tone CO₂. CO₂ assimilation must be promoted by stopping NO_x elimination. By stopping of NO_x elimination, 14.4 billion tone NO_x can fix $14.4 \times 25 = 360$ billion tone CO₂. The amount of NP in drainage is around 0.5 billion tones. Using this 0.5 billion tone NP, people can fix $0.5 \times 25 = 12.5$ billion tone CO₂. By adding $360 + 12.5 = 372$ billion CO₂ can be fixed. And we can absorb 13.002×10^{16} kcal. Heat absorption by CO₂ assimilation is essential to control the earth's temperature to maintain the habitable and comfortable temperature for live long. (ref 73-78)

Heat generation 13.002×10^{16} kcal is almost the same as heat absorption 13.16×10^{16} kcal. $\text{GWPR} = \text{Heat production} / \text{heat absorption} = 13.002 \times 10^{16} \text{ kcal} / 13.136 \times 10^{16} \text{ kcal} = 1$
CO₂ assimilation must be promoted by absorption of NO_x elimination and by stopping waste water elimination. By stopping NO_x elimination $14.4 \times 25 = 360$ billion tone CO₂. The amount of N, P in Drainage is around 10 billion tones. By using this 10 billion tone N, P we can fix $10 \times 25 = 250$ billion tone CO₂. By adding $360 + 250 = 610$ billion tone CO₂ can be

fixed. And we can absorb 15×10^{16} kcal. And earth can be cooled down and we can live long at comfortable temperatures.

Summary

Global warming can be stopped by the promotion of CO₂ assimilation by supply of nutrient N and P by following 3 items

Stop the elimination of NO_x by ammonia at power station, chemical station and iron station
Stop the elimination of N, P at drainage, river

Throw away the rules to eliminate NO_x by ammonia, throw away the rule to eliminate N, P in drainage, river, throw away the rule to inhibit bon fire, burning of scrap wood
Anti-aging and long life will be accomplished by eating fish.

References

1. Shoichiro Ozaki. Sulpho disaccharides co-working with Klotho. Studies on structure, structure activity relation and function. World Pharmacy Pharmaceutical Sci 2015 4: 152-175.
2. Shoichiro Ozaki. Synthesis of Anti-Aging Reagents: Sulpho disaccharide co-working with anti-aging Klotho AntiAging Gene Arch Med 2015 7: 17.
3. Shoichiro Ozaki : Synthesis of anti-aging reagent. Sulpho ichin is Essential for Anti-Aging gene. Artiv Nutrition for Good Health, Anti-aging and long life. Hyaluronic Acid, Glucosamine and Chondroitin Maternal and Pediatric Nutrition Journal 2015 1: 102.
4. Shoichiro Ozaki Food Containing Hyaluronic Acid and Chondroitin is essential for anti-aging. International J. Aging & Clinical Research .2016 1. 101-105.
5. Shoichiro Ozaki Toward Anti-Aging and Long -Life. Jacobs Journal of Physiology 2016 2(1): 12.
6. Shoichiro Ozaki. Secret of anti-aging, anti-aging food containing glucosamine, hyaluronic acid and chondroitin. Jacobs Journals of Physiology, 2016. 2(1) 13-17
7. Shoichiro Ozaki Food useful for anti-aging. New Food Industry 2016 58(12): 81-84.
8. Shoichiro Ozaki Fish is best food to get anti-aging and long life. NO_x elimination should be stopped to produce much fishpond to protect global warming Jacobs Journals of Physiology 2018 4. 1 017
9. Shoichiro Ozaki Fish is best food to get anti-aging and long life J. of Aging and Neuropathology 2018 issue 2 1-6

10. Kuro-o, Matsumura Y, Aizawa H, Kawaguchi H, —Nabeshima Y. Mutation of the mouse Klotho gene lead to a syndrome resembling aging. *Nature* 1997 390 (6655) 41-51
11. Toyama O, Nabeshima Y. Klotho is a novel beta-glucosidase capable of hydrolyzing steroids beta glucuronide. *J. Biological Chemistry*, 2004 279 (11) 9777- 9784
12. Nabeshima Y. 2007 Molecular function of Klotho in calcium homeostasis. *Igakunoayumi* 2007 222,(no3)225-230
13. Shoichiro Ozaki. Recycle of nitrogen and phosphorus for the increase of food production. *New Food Industry* 1993 35, No 10 33-39.
14. Shoichiro Ozaki. Methods to protect global warming. *Adv Tech Biol Med.* 2016, 4. 181
15. Shoichiro Ozaki. Methods to protect global warming, Food production increase way. *New Food Industry* 2016 58 No 8 47-52.
16. Shoichiro Ozaki. Global warming can be protected by promotion of CO₂ assimilation using NO_x. *Journal of Climatology & Weather Forecasting* 2016 4.2 1000171.
17. Shoichiro Ozaki. Global warming can be protected by promotion of plankton CO₂ assimilation. *Journal of Marine Science: Research & Development* 2016 6.213.
18. Shoichiro Ozaki. Method to reactivate fish industry. *New Food Industry* 2017 59 No 3 61
19. Shoichiro Ozaki. NO_x is Best Compound to Reduce CO₂. *Eur J Exp Biol.* 2017, 7:12.
20. Shoichiro. Ozaki. Protection of global warming and burn out of fossil fuel by promotion of CO₂ assimilation. *J. of Marine Biology & Oceanography* 2017, 6:2.
21. Shoichiro. Ozaki. Promotion of CO₂ assimilation supposed by NO_x is best way to protect global warming and food production. *Artiv of Pet-Environ Biotechnol* 2017 02.110.
22. Shoichiro Ozaki. Promotion of CO₂ assimilation supported by NO_x is best way to protect global warming. *J. Marine Biol Aquacult* 2017 vol 3. Issue 2.
23. Shoichiro Ozaki. Stopping of NO_x elimination is easy way to reduce CO₂ and protect global warming. *J. Environ Sci Public Health* 2017:1 (1) 24-34.
24. Shoichiro Ozaki. Stopping of NO_x elimination is clever way to reduce CO₂ and to increase fish production. *J. of Cell Biology & Immunology* 2017 1e 102.
25. Shoichiro Ozaki. Effective uses of NO_x and drainage are clever way to protect global warming and to increase fish production. *Oceanography & Fisheries* 2017 4(4).

26. Shoichiro Ozaki. NOx Elimination and Drainage NP Elimination should be stopped for the production of fish and for the protection of global warming. J. of Fisheries and Aquaculture Development 2017 issue 05 125.
27. Shoichiro Ozaki. Let`s enjoy civilized life using limited amount of fossil fuel. Journal of Aquaculture & Marine Biology 2017 6 (3) 06 00158.
28. Shoichiro Ozaki Method to fit Paris agreement for protection of global warming. International Journal of Waste Resources 2017 7-4 318 doi: 10.4172/2252-5211.1000318.
29. Shoichiro Ozaki. Method to protect global warming and to produce much fish by promotion of plankton growth. New Food Industry 2018 60 no3 88-94.
30. Ozaki Shoichiro. Method to protect global warming by promotion of plankton CO2 assimilation. Rikuryou Science 2018 61 23.
31. Shoichiro Ozaki. Effect of NOx elimination on electricity price, fish production, GDP and protection of global warming. International J of Waste Resources 2018 8 issue 1 1000328 doi:10.4172/2252-1000328.
32. Shoichiro Ozaki. How to fix carbon dioxide same amount as emission for the protection of global warming. Research & Development in Material Science 2018 vol 3 issue 5.
33. Shoichiro. Ozaki Stop of NOx elimination and stop of wast water purification are easy methods to protect global warming. J of Immunology and Information Diseases Therapy 2018 1 1 doi.org/06.2018/1.10006.
34. Shoichiro Oz Biomedical Research and Reviews 2018 volume 1.1.
35. Shoichiro Ozaki. Promotion of Plankton CO2 assimilation by effective use of NOx and NP is best method to produce much fish and protect global warming. J of Marine Science Research and Oceanography 2018 Volume 1 issue 1. 1 doi:10.4172/2155-9546-c1-022.
36. Shoichiro Ozaki. Promotion of plankton CO2 assimilation by NOx is best way to protect global warming and to get best climate. International J of Earth and environmental Science 2018 3 160.
37. Shoichiro Ozaki. Promotion of plant growth by NOx is best method to reduce CO2 and to protect global warming. Current Trends in Oceanography and Marine Science 2018 01 1-4.
38. Shoichiro Ozaki. Fish is best food to get anti-aging and long life. NOx elimination should be stopped to produce much fish and to protect global warming Jacobs Journal of physiology 2018 4.1 017

39. Shoichiro Ozaki. Fish is Best Food to Get Anti-Aging and Long Life. J of Aging and Neuropsychology 2018 issue 2 1-6 DOI: <http://dx.doi.org/10.20431/2454-7670.0501001>.
40. Shoichiro Ozaki. NOx and NP in waste water fix CO2 and control global warming and climate. International J of Biochemistry and Physiology 2018 3 (4) doi: 10.23880/ijbp-16000140.
41. Shoichiro Ozaki. The effect of of increase of NOx and CO2 on grain and fish production, protection of global warming and climate. International Journal of Earth Science and Geology 2019 1(1) 6-10.
42. Shoichiro Ozaki. Complete use of NOx and NP is essential for the increased production of food and protection of global warming. Inter. J. Innovative Studies in Aquatic Biology and Fisheries 2019 3 (1) 1-6.
43. Shoichiro. Ozaki. Why global warming is progressing. Promotion of CO2 assimilation is best method to protect global warming. Rikuryou Science 2019 62 16-18.
44. Ozaki Shoichiro Complete use of NOx and NP is essential for the increased production of food and protection of global warming. Inter.J. Innovative Studies in Aquatic Biology and Fisheries 2019 3 (1) 11-15
45. Shoichiro Ozaki. Increase of CO2 and NOx promote CO2 assimilation, CO2 fix and food production. Advances in Bioengineering & Biomedical Science Research 2019 2 issue 3 1-6.
46. Shoichiro Ozaki. Promotion of CO2 assimilation by effective use of NOx and NP is best method to produce much fish and protect global warming. EC Agriculture 2019 5: Issue 8, 492-497.
47. Shoichiro Ozaki. Why fish production of Japan decreased. Why global warming is progressing. New food Industry 2019 Vol 61 No 10 787-793.
48. Shoichiro Ozaki. In pure water no fish can live. Water purification promote global warming, decline of countries. Rikuryou Science 2020 63 24-29.
49. Shoichiro Ozaki. NOx elimination and NP elimination are promoting global warming. EC Agriculture 2020 6.1 1- 8.
50. Shoichiro Ozaki. Purification of water and air is promoting global warming and country decline. Journal of Marine Science and Oceanography 2020 3 issue 1 1-4.

51. Shoichiro Ozaki Relation of London Dumping Convention and Global Warming. If Developed Countries stop NP and NO_x Elimination, CO₂ Assimilation Increase and Global Warming Will Stop. *International J of Pollution Research* 2020 3 115-119.
52. Shoichiro Ozaki. Global warming will stop, if developed countries stop NO_x and NP elimination. *J. of Environmental Sci. Current Research* 2020 3.022.
53. Shoichiro Ozaki. Stopping of NO_x, NP Elimination at developed countries is easy method to protect global warming. *J Bacteriology and Myology* 2020 7 (4) 1137.
54. Shoichiro Ozaki. In pure water no fish can alive. Water purification promote global warming and decline region and countries. *New Food Industry* 2020 62 (8) 615-620.
55. Shoichiro Ozaki. Promotion of recycle of carbon, nitrogen and phosphorous is essential for protection of global warming and increase of national wealth. *American J of humanities and Social Science* 2020 Vol 5 Page 01:13.
56. Shoichiro Ozaki. Stopping of NO_x and NP elimination at developed countries is essential for the promotion of food production and protection of global warming. *J of Soil Science and Plant Physiology* 2020 2 (2) 1-10.
57. Shoichiro Ozaki. Promotion of CO₂ assimilation by stopping NO_x, NP elimination is best method to produce much food and to protect global warming. *American J of Engineering, Science and Technology* 2020 vol 5 1-15.
58. Shoichiro Ozaki. Stopping of NO_x, NP elimination is easy method to protect global warming. *J of Research in Environmental and Earth Science* 2020 6 issue 6 12-21.
59. Shoichiro Ozaki. Method to protect global warming to fit Paris agreement and to enrich the countries. *Rikuryou Science* 2021 64 32-38.
60. Shoichiro Ozaki Method to protect global warming and to get long life *International Journal of Clinical Case Reports* 2020; 8(2) 002-16 DOI: 10.46998//IJCCR.2020.08.000182
61. Shoichiro Ozaki Aquaculture of plankton and fish by fertilizer is best way to protect global warming *Acta Scientific Biotechnology* 2021 2.1 13-22
62. Shoichiro Ozaki Promotion of CO₂ assimilation by NO_x, NP is easy method to protect global warming to get high GDP Open access Research *J of Biology and Pharmacy* 2021 02 (02)063-086 Article Doi: <https://doi.org/10.53022/oarjbp.2021.2.2.0047>
63. Shoichiro Ozaki Promotion of CO₂ assimilation by sufficient supply of nitrogen and phosphorous is easiest method to fit Paris agreement and to protect global warming and to get national wealth *International Journal of Science and Research Archive*, 2021,04(01),092-105 Article Doi:<https://doi.org/10.30574/ijsra.2021.4.1.0187>

64. Ozaki Shoichiro Stop NO_x,NP elimination and promotion of CO₂ assimilation will stop increase of CO₂ and fit Paris agreement and increase food and enrich country. Rikuryou Science 2022 65 37-47
65. Ozaki Shoichiro Recycle of nitrogen, phosphorous is essential for protection of global warming. World J of Advanced Science and Technology 2022, 01(01),015-030
66. Ozaki Shoichiro Method to achieve carbon neutral and to fit Paris agreement and to protect global warming. World J of Advanced Science and Technology 2022,02(01)022-031
67. Ozaki Shoichiro. Sure method to protect global warming and to increase GDP New Food Industry 2022 64(12) 799-802
68. Ozaki Shoichiro Environmental measures inhibit CO₂ assimilation, inhibit food production, make worse economy and promoting global warming GSC Advanced Research and Reviews, 2022, 13(02), 245–257
69. Shoichiro Ozaki Stopping of NO_x, NP elimination is easiest method to stop global warming. International Journal of Scientific Research Updates 2023 05(01).067-078
70. Shoichiro Ozaki Promotion of CO₂ assimilation by stopping of NO_x, NP elimination is easy method to stop global warming and to growth International Journal of Science and Research Archives 2023 08(02),295-304
71. Shoichiro Ozaki NO_x should be recycled by stoping of NO_x elimination by ammonia. Waste water purification center should be closed GSC Advanced Research and Reviews 2023,15(02),113-120
72. Shoichiro Ozaki NO_x eliminations at developed countries induced global warming. Let stop NO_x and NP elimination and stop global warming and get much food and make rich country. Rikuryo Science 2023 66 51-54
73. Shoichiro Ozaki NO_x,NP elimination of developed countries induced global warming. Let stop NO_x,NP elimination ,let stop global warming, let produce much food and let make rich countries Open Access Research J of Biology and Pharmacy 2023, 09(02), 057-066 Doi:<https://doi.org/10.53022/oarjbp.2023.9.2.0060>
74. Shoichiro Ozaki Promotion of CO₂ assimilation by stopping of NO_x,NP elimination is best method to absorb green house gas CO₂ , to stop global warming , to get much food and to growth World Journal of Biology Pharmacy and Health Sciences 2023,16(03), 085-093

75. Shoichiro Ozaki Global warming was produced by the elimination of NO_x at developed countries. Let stop elimination of N,P and make food, and rich country. Rikuryo Science 2024 67 51-54
76. Shoichiro Ozaki Promotion of CO₂ assimilation by stopping NP elimination is best method to stop global warming .International J Scholarly Research Reviews 2024 4 (2)49-53
77. Shoichiro Ozaki Role of NO_x and CO₂ on Grain and fish Production: Protection from Global Warming and Climate change .Research Advances in Environment, Geography and Earth Science 2024 Vol. 8 Chapter 8 123-129

Citation: Showchiro Ozaki, Adv Clin Med Sci, "Successful Desensitization to Peanut in a Rast Class II Child". 2024; 2(2): 108

Received Date: September 12, 2024; Published Date: September 21, 2024

Copyright: © 2024 Showchiro Ozaki. This is an open-access article distributed under the terms of the Creative Commons Attribution License.